

CLASSIFICATION: 09 51 13

PRODUCT DESCRIPTION: The Clean Air Claro (1in) ME/VCATT is a premium ceiling panel with an acoustically transparent finish that mimics the appearance of drywall/plaster.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

Residuals/Impurities  
Considered in 8 of 8 Materials

Explanation(s) provided  
for Residuals/Impurities?  
 Yes  No

All Substances Above the Threshold Indicated Are:

Characterized  Yes Ex/SC  Yes  No  
% weight and role provided for all substances.

Screened  Yes Ex/SC  Yes  No  
All substances screened using Priority Hazard Lists with results disclosed.

Identified  Yes Ex/SC  Yes  No  
One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

Threshold Disclosed Per

- Material
- Product

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**RAW FIBERGLASS CORE [ CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK AMMONIUM SULFATE LT-P1 | END FRUCTOSE LT-UNK (3-AMINOPROPYL)TRIETHOXYSILANE LT-UNK | SKI GLUCOSE BM-3 ] ALUMINIUM EDGE [ 3003-H14 ALUMINUM LT-P1 | RES | PHY | END MAGNESIUM LT-UNK | PHY UNS Z33520 ZINC ALLOY LT-P1 | AQU | PHY | END | MUL SILICON LT-UNK MANGANESE LT-P1 | END | MUL | REP COPPER LT-UNK IRON LT-P1 | END CHROMIUM LT-P1 | RES | END | SKI LEAD LT-1 | DEL | CAN | PBT | REP | MUL | END | GEN ] ADHESIVE 1 [ UNDISCLOSED LT-UNK UNDISCLOSED BM-4 UNDISCLOSED BM-U | END | PBT | MUL UNDISCLOSED LT-P1 | MUL | REP UNDISCLOSED LT-UNK ] HIGH DENSITY FIBERGLASS (FACE) [ CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK UREA PHENOL FORMALDEHYDE LT-UNK ] PRE-COATED WHITE VEIL [ ALUMINA TRIHYDRATE BM-2 | RES CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK POLY(VINYL ALCOHOL) LT-UNK ] MOUNTING HARDWARE [ AISI 10B21 STEEL NoGS ] CLARO FINISH ACOUSTICAL PAINT [ CALCIUM CARBONATE BM-3 WATER BM-4 ALUMINA TRIHYDRATE BM-2 | RES TITANIUM DIOXIDE LT-1 | CAN | END POLYMETHYL METHACRYLATE (PMMA) LT-P1 | RES ] VAPOR BARRIER [ POLYETHYLENE TEREPHTHALATE (PET) LT-UNK ]**

Number of Greenscreen BM-4/BM3 contents ... 4

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1  
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This product was screened to the 1000 ppm threshold. Ranges in material percentages are due to variation in composition across product dimensions. Ranges in substance percentages reflect composition data provided by suppliers.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC Emissions

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

Yes

No

PREPARER: **Self-Prepared**

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-01-15

PUBLISHED DATE: 2020-01-28

EXPIRY DATE: 2023-01-15



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-1-standard](http://www.hpd-collaborative.org/hpd-2-1-1-standard)

### RAW FIBERGLASS CORE

#: 29.27 - 50.37

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered and determined to be below the 1000 ppm threshold.

OTHER MATERIAL NOTES: The percent ranges represent the variation in composition across all available product dimensions. Ranges within specific substances reflect composition data provided by suppliers.

### CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-01-15

#: 95.00 - 100.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Core Component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

### AMMONIUM SULFATE

ID: 7783-20-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-01-15

#: 1.00 - 5.00

GS: LT-P1

RC: None

NANO: No

ROLE: Core Component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: N/A

### FRUCTOSE

ID: 57-48-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-01-15

#: 0.00 - 20.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Core Component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: N/A		

**(3-AMINOPROPYL)TRIETHOXYSILANE**

ID: 919-30-2

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-01-15</b>		
#: <b>0.00 - 1.00</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Core Component</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage		
SUBSTANCE NOTES: N/A				

**GLUCOSE**

ID: 50-99-7

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-01-15</b>		
#: <b>0.00 - 20.00</b>	GS: <b>BM-3</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Core Component</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: N/A				

**ALUMINIUM EDGE**

#: **16.64 - 30.67**

PRODUCT THRESHOLD: **1000 ppm**      RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered and determined to be below the 1000 ppm threshold.

OTHER MATERIAL NOTES: The percent ranges represent the variation in composition across all available product dimensions. Ranges within specific substances reflect composition data provided by suppliers.

**3003-H14 ALUMINUM**

ID: 7429-90-5

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-01-15</b>		
#: <b>90.00 - 100.00</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Edge Component</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: N/A

## MAGNESIUM

ID: 7439-95-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-15**

#: **0.00 - 4.10**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Edge Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: N/A

## UNS Z33520 ZINC ALLOY

ID: 7440-66-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-15**

#: **0.00 - 4.00**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Edge Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: N/A

**SILICON**

ID: 7440-21-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-15**%: **0.00 - 1.90**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Edge Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **N/A****MANGANESE**

ID: 7439-96-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-15**%: **0.00 - 1.50**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **Edge Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**ENDOCRINE**

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

**MULTIPLE**

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

**REPRODUCTIVE**

GHS - Japan

Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: **N/A****COPPER**

ID: 7440-50-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-15**%: **0.00 - 1.40**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Edge Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **N/A****IRON**

ID: 7439-89-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-15**%: **0.00 - 1.20**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **Edge Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**ENDOCRINE**

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: **N/A**

**CHROMIUM**

ID: 7440-47-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-15**

%: **0.00 - 0.50**                      GS: **LT-P1**                      RC: **None**                      NANO: **No**                      ROLE: **Edge Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: **N/A**

**LEAD**

ID: 7439-92-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-15**

%: **0.00 - 0.40**                      GS: **LT-1**                      RC: **None**                      NANO: **No**                      ROLE: **Edge Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
DEVELOPMENTAL	G&L - Neurotoxic Chemicals	Developmental Neurotoxicant
CANCER	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen
CANCER	IARC	Group 2a - Agent is probably Carcinogenic to humans
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity
PBT	US EPA - Priority PBTs (NWMP)	Priority PBT
PBT	WA DoE - PBT	PBT
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Female
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Male
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
PBT	US EPA - Toxics Release Inventory PBTs	PBT
REPRODUCTIVE	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
PBT	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REPRODUCTIVE	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Reproductive Toxicity

REPRODUCTIVE	EU - GHS (H-Statements)	H360FD - May damage fertility. May damage the unborn child
DEVELOPMENTAL	EU - GHS (H-Statements)	H362 - May cause harm to breast-fed children
REPRODUCTIVE	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 1 - Substances known to impair fertility or cause Developmental Toxicity in humans
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CANCER	GHS - Korea	Carcinogenicity - Category 1 [H350 - May cause cancer]
REPRODUCTIVE	GHS - Korea	Reproductive toxicity - Category 1 [H360 - May damage fertility or the unborn child]
REPRODUCTIVE	GHS - New Zealand	6.8A - Known or presumed human reproductive or developmental toxicants
GENE MUTATION	MAK	Germ Cell Mutagen 3a
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1A
DEVELOPMENTAL	GHS - Australia	H360Df - May damage the unborn child. Suspected of damaging fertility
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1A [H360]

SUBSTANCE NOTES: N/A

## ADHESIVE 1

%: 11.60 - 20.26

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm threshold

OTHER MATERIAL NOTES: The percent ranges represent the variation in composition across all available product dimensions. Ranges within specific substances reflect composition data provided by suppliers. Specific composition of this material remains unidentified due to the proprietary nature of this material.

## UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-01-15

%: 40.00 - 45.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Adhesive Component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Proprietary Copolymer blend integral for adhesive properties



**UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-15**%: **40.00 - 45.00**GS: **BM-4**RC: **None**NANO: **No**ROLE: **Adhesive Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Proprietary adhesive component****UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-15**%: **7.00 - 10.00**GS: **BM-U**RC: **None**NANO: **No**ROLE: **Adhesive Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

PBT

EHP - San Antonio Statement on BFRs &amp; CFRs

Flame retardant substance class of concern for PB&amp;T &amp; long range transport

RESTRICTED LIST

US EPA - PPT Chemical Action Plans

TSCA Work Plan chemical - ongoing chemical (risk) assessment

SUBSTANCE NOTES: **Proprietary adhesive component****UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-15**%: **2.00 - 5.00**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **Adhesive Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

REPRODUCTIVE

GHS - Japan

Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: **Proprietary adhesive component****UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-15**%: **1.00 - 2.00**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Adhesive Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Proprietary adhesive component		

## HIGH DENSITY FIBERGLASS (FACE)

%: 6.29 - 9.90

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered and determined to be below the 1000 ppm threshold.

OTHER MATERIAL NOTES: The percent ranges represent the variation in composition across all available product dimensions. Ranges within specific substances reflect composition data provided by suppliers.

### CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-01-15

%: 83.00 - 97.00

GS: LT-UNK

RC: UNK

NANO: No

ROLE: Fiberglass Face

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:		

### UREA PHENOL FORMALDEHYDE

ID: 25104-55-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-01-15

%: 3.00 - 17.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:		

## PRE-COATED WHITE VEIL

%: 3.87 - 6.46

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered and determined to be below the 1000 ppm threshold.

OTHER MATERIAL NOTES: The percent ranges represent the variation in composition across all available product dimensions. Ranges within specific substances reflect composition data provided by suppliers.

### ALUMINA TRIHYDRATE

ID: 21645-51-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-15**

#: **60.00 - 75.00**

GS: **BM-2**

RC: **None**

NANO: **No**

ROLE: **Veil Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**RESPIRATORY**

**AOEC - Asthmagens**

**Asthmagen (Rs) - sensitizer-induced**

SUBSTANCE NOTES: **N/A**

### CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-15**

#: **20.00 - 25.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Veil Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found**

**No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES: **N/A**

### POLY(VINYL ALCOHOL)

ID: 9002-89-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-15**

#: **6.00 - 9.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Veil Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found**

**No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES: **N/A**

### MOUNTING HARDWARE

#: **3.54 - 8.73**

PRODUCT THRESHOLD: **1000 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: **Residuals and impurities were considered and determined to be below the 1000 ppm threshold.**

OTHER MATERIAL NOTES: The percent ranges represent the variation in composition across all available product dimensions. Ranges within specific substances reflect composition data provided by suppliers.

**AISI 10B21 STEEL**

ID: 12597-69-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-15**

#: <b>100.00</b>	GS: <b>NoGS</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Mounting Hardware</b>
------------------	-----------------	-----------------	-----------------	--------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found	No warnings found on HPD Priority Hazard Lists
------------	--

SUBSTANCE NOTES: **N/A****CLARO FINISH ACOUSTICAL PAINT**#: **0.67 - 1.12**PRODUCT THRESHOLD: **1000 ppm**RESIDUALS AND IMPURITIES CONSIDERED: **Yes**RESIDUALS AND IMPURITIES NOTES: **Residuals and impurities were considered and determined to be below the 1000 ppm threshold.**OTHER MATERIAL NOTES: **The percent ranges represent the variation in composition across all available product dimensions. Ranges within specific substances reflect composition data provided by suppliers.****CALCIUM CARBONATE**

ID: 471-34-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-15**

#: <b>32.00 - 42.00</b>	GS: <b>BM-3</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Acoustical Paint Component</b>
-------------------------	-----------------	-----------------	-----------------	---

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found	No warnings found on HPD Priority Hazard Lists
------------	--

SUBSTANCE NOTES: **N/A****WATER**

ID: 7732-18-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-15**

#: <b>15.00 - 25.00</b>	GS: <b>BM-4</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Acoustical Paint Component</b>
-------------------------	-----------------	-----------------	-----------------	---

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found	No warnings found on HPD Priority Hazard Lists
------------	--

SUBSTANCE NOTES: **N/A****ALUMINA TRIHYDRATE**

ID: 21645-51-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-15**

#: <b>10.00 - 20.00</b>	GS: <b>BM-2</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Acoustical Paint Component</b>
-------------------------	-----------------	-----------------	-----------------	---

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: N/A

## TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-01-15**

#: **5.00 - 15.00** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Acoustical Paint Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: N/A

## POLYMETHYL METHACRYLATE (PMMA)

ID: 9011-14-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-01-15**

#: **5.00 - 15.00** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Acoustical Paint Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Acrylic Latex component

## VAPOR BARRIER

#: **0.24 - 0.37**

PRODUCT THRESHOLD: **1000 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: **Residuals and impurities were considered and determined to be below the 1000 ppm threshold.**

OTHER MATERIAL NOTES: The percent ranges represent the variation in composition across all available product dimensions. Ranges within specific substances reflect composition data provided by suppliers.

**POLYETHYLENE TEREPHTHALATE (PET)**

ID: 25038-59-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-15**

#: **99.90 - 100.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Vapor Barrier Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **N/A**

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### VOC Emissions

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2017-**

EXPIRY DATE:

CERTIFIER OR LAB: **Berkeley**

APPLICABLE FACILITIES: **All facilities**

**04-24**

**Analytical**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **ASTM D 5116-10 (Small Chamber)**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

This Health Product Declaration was prepared by Sustainable Solutions Corporation of Royersford, PA on behalf of CertainTeed Decoustics. Mounting hardware for installation is included in the material inventory for this HPD. For further information about installation, use, and maintenance, please visit <https://decoustics.com/> This HPD meets the requirements for LEED v4 Material Ingredients, Option 1; however, it does not meet the requirements for LEED v4 Material Ingredient Option 2, which cannot be met due to lack of information from suppliers down to the 100ppm threshold.

**MANUFACTURER INFORMATION**

---

MANUFACTURER: **Saint Gobain**ADDRESS: **61 Royal Group Crescent  
Woodbridge Ontario L4H 1X9, Canada**WEBSITE: **<https://decoustics.com/>**CONTACT NAME: **Lou Bartella**TITLE: **Senior Engineering and Operations Manager**PHONE: **(905) 652-5227**EMAIL: **Lou.Bartella@saint-gobain.com****KEY**

---

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet**Hazard Types****AQU** Aquatic toxicity**CAN** Cancer**DEV** Developmental toxicity**END** Endocrine activity**EYE** Eye irritation/corrosivity**GEN** Gene mutation**GLO** Global warming**MAM** Mammalian/systemic/organ toxicity**MUL** Multiple hazards**NEU** Neurotoxicity**OZO** Ozone depletion**PBT** Persistent Bioaccumulative Toxic**PHY** Physical Hazard (reactive)**REP** Reproductive toxicity**RES** Respiratory sensitization**SKI** Skin sensitization/irritation/corrosivity**LAN** Land Toxicity**NF** Not found on Priority Hazard Lists**GreenScreen (GS)****BM-4** Benchmark 4 (prefer-safer chemical)**BM-3** Benchmark 3 (use but still opportunity for improvement)**BM-2** Benchmark 2 (use but search for safer substitutes)**BM-1** Benchmark 1 (avoid - chemical of high concern)**BM-U** Benchmark Unspecified (insufficient data to benchmark)**LT-P1** List Translator Possible Benchmark 1**LT-1** List Translator Likely Benchmark 1**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)**NoGS** Unknown (no data on List Translator Lists)**Recycled Types****PreC** Preconsumer (Post-Industrial)**PostC** Postconsumer**Both** Both Preconsumer and Postconsumer**Unk** Inclusion of recycled content is unknown**None** Does not include recycled content**Other Terms****Inventory Methods:****Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product**Nano** Composed of nano scale particles or nanotechnology**Third Party Verified** Verification by independent certifier approved by HPDC**Preparer** Third party preparer, if not self-prepared by manufacturer**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*